

Message

---

**From:** Mastro, Donna [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=04C0D304A60246198CD573754FADE0B4-DMASTRO]  
**Sent:** 8/20/2020 8:45:29 PM  
**To:** Melvin, Karen [Melvin.Karen@epa.gov]  
**Subject:** RE: CRW - Revised Letter & Attachment

Right- just the attachment. Looks good.

Donna L. Mastro | Deputy Regional Counsel for Enforcement| US EPA Region III ORC | (215) 814-2777 | fax (215) 814-3062 | MOBILE (267) 273-5407

---

**From:** Melvin, Karen <Melvin.Karen@epa.gov>  
**Sent:** Thursday, August 20, 2020 4:39 PM  
**To:** Mastro, Donna <Mastro.Donna@epa.gov>  
**Subject:** FW: CRW - Revised Letter & Attachment

No changes to the letter.

**KAREN MELVIN, DIRECTOR**  
**ENFORCEMENT AND COMPLIANCE ASSURANCE DIVISION**  
**US EPA, REGION 3**  
**1650 ARCH STREET**  
**PHILADELPHIA, PA 19103**  
**215-814-3275**

---

**From:** Melvin, Karen  
**Sent:** Thursday, August 20, 2020 4:37 PM  
**To:** Mastro, Donna <mastro.donna@epa.gov>  
**Subject:** FW: CRW - Revised Letter & Attachment

**KAREN MELVIN, DIRECTOR**  
**ENFORCEMENT AND COMPLIANCE ASSURANCE DIVISION**  
**US EPA, REGION 3**  
**1650 ARCH STREET**  
**PHILADELPHIA, PA 19103**  
**215-814-3275**

---

**From:** Melvin, Karen  
**Sent:** Thursday, August 20, 2020 4:00 PM  
**To:** Fields, Jenifer <fields.jenifer@epa.gov>  
**Cc:** Mastro, Donna <mastro.donna@epa.gov>  
**Subject:** RE: CRW - Revised Letter & Attachment

Jen, here are the differences in Question 4. I thought I understood that you wanted all references to LTCP removed.

# Ex. 5 Attorney Work Product (AWP)

I'll look at the letter next

KAREN MELVIN, DIRECTOR  
ENFORCEMENT AND COMPLIANCE ASSURANCE DIVISION  
US EPA, REGION 3  
1650 ARCH STREET  
PHILADELPHIA, PA 19103  
215-814-3275

---

**From:** Fields, Jenifer <[fields.jenifer@epa.gov](mailto:fields.jenifer@epa.gov)>  
**Sent:** Thursday, August 20, 2020 3:44 PM  
**To:** Melvin, Karen <[Melvin.Karen@epa.gov](mailto:Melvin.Karen@epa.gov)>  
**Subject:** RE: CRW - Revised Letter & Attachment

I'm confused- Question 4 still reads the same. Sorry I was on a call that just wouldn't end.

Jenifer Fields, Chief of Staff  
EPA Region 3 (3RA00)  
1650 Arch St  
Philadelphia, PA 19103  
Phone (215) 814-3165  
Fax (215) 814-2901

---

**From:** Melvin, Karen <[Melvin.Karen@epa.gov](mailto:Melvin.Karen@epa.gov)>  
**Sent:** Thursday, August 20, 2020 3:33 PM

**To:** Fields, Jenifer <[fields.jenifer@epa.gov](mailto:fields.jenifer@epa.gov)>

**Subject:** FW: CRW - Revised Letter & Attachment

Jen, Donna and I talked to the team and the revised letter is attached for your information. We are both onboard with this version.

**KAREN MELVIN, DIRECTOR  
ENFORCEMENT AND COMPLIANCE ASSURANCE DIVISION  
US EPA, REGION 3  
1650 ARCH STREET  
PHILADELPHIA, PA 19103  
215-814-3275**

---

**From:** Pratt, Stacie <[Pratt.Stacie@epa.gov](mailto:Pratt.Stacie@epa.gov)>

**Sent:** Thursday, August 20, 2020 3:09 PM

**To:** Melvin, Karen <[Melvin.Karen@epa.gov](mailto:Melvin.Karen@epa.gov)>; Armstrong, Joan <[Armstrong.Joan@epa.gov](mailto:Armstrong.Joan@epa.gov)>

**Cc:** Rogers, Rick <[rogers.rick@epa.gov](mailto:rogers.rick@epa.gov)>; Rodrigues, Cecil <[rodrigues.cecil@epa.gov](mailto:rodrigues.cecil@epa.gov)>; Rivera, Nina <[Rivera.Nina@epa.gov](mailto:Rivera.Nina@epa.gov)>; Lazos, Pamela <[Lazos.Pamela@epa.gov](mailto:Lazos.Pamela@epa.gov)>; Mastro, Donna <[Mastro.Donna@epa.gov](mailto:Mastro.Donna@epa.gov)>

**Subject:** CRW - Revised Letter & Attachment

Here we go!

Stacie Pratt, Section Chief  
NPDES Section – 3ED32  
Water Branch, Enforcement and Compliance Assurance Division  
EPA Region 3  
1650 Arch Street  
Philadelphia, PA 19103  
Work Phone: 215-814-5173  
Work Cell: 267-761-0860  
Email: [pratt.stacie@epa.gov](mailto:pratt.stacie@epa.gov)